



# QUABBIN HEALTH DISTRICT

*Serving the Communities of: Belchertown, Ware and Pelham*  
 Suite D, 126 Main Street Ware, MA 01082  
 Phone: (413) 967-9615 Fax: (413) 967-9646



## Food Establishment Inspection Report

**Insp Date:** 2/22/2024  
**Business:** Taco Bell  
 118 West St.

**Business ID:** Q3000021

**Inspection:** Q3000150  
**Permit #:**  
**Phone:** 413-969-4898  
**Inspector:** 03 John Prenosil  
**Reason:** 01. Routine  
**Next Inspection on or near:** 8/20/2024

Ware, MA 01082

**Results:** Next Routine 180

### Time In / Time Out

Date	In	Out	Insp	Travel	Total	Mileage	Notes
02/22/24	11:30 AM	12:15 PM	0:45	0:00	0:45	0	
<b>Total:</b>			0:45	0:00	0:45	0	

### Inspection Summary

Official Order for Correction: Based on an inspection today, the items marked "OUT" indicated violations of 105 CMR 590.000 and applicable sections of the 2013 FDA Food Code. This report, when signed below by a Board of Health member or its agent constitutes an order of the Board of Health. Failure to correct violations cited in this report may result in suspension or revocation of the food establishment permit and cessation of food establishment operations. If you are subject to a notice of suspension, revocation, or non-renewal pursuant to 105 CMR 590.000 you may request a hearing before the board of health in accordance with 105 CMR 590.015(B).

PIC Name Javien DeJesus

Risk Category Medium

Certified Food Protection Manager Adrianna Campbell

CFPM Exp Date 05/12/2023

Certified Allergy Trained Name Adrianna Campbell

Allergy Exp Date 01/06/2025

Certified ChokeSaver Name \_\_\_\_\_

ChokeSaver Exp Date \_\_\_\_\_

Permit Posted In  Out

Inspection Report Available In  Out

### FOODBORNE ILLNESS RISK FACTORS AND PUBLIC HEALTH INTERVENTIONS

Compliance status: IN = in compliance OUT = not in compliance N/O = not observed N/A = not applicable

Marked in appropriate box for COS and/or R. COS = corrected on-site during inspection R = repeat violation

Risk factors are improper practices or procedures identified as the most prevalent contributing factors of foodborne illness or injury. Public Health Interventions are control measures to prevent foodborne illnesses or injury.

#### Supervision

1. Person-in-charge present, demonstrates knowledge, and performs duties

IN OUT N/O N/A COS REPEAT

2. Certified Food Protection Manager

Inspector

Acknowledged Receipt : Javien DeJesus

## Food Establishment Inspection Report

Employee Health	IN	OUT	N/O	N/A	COS	REPEAT
3. Management, food employee and conditional employee; knowledge, responsibilities and reporting	i	⊠	i	i	..	..
4. Proper Use of Restriction & Exclusion	⊠	i	i	i	..	..
5. Procedures for responding to vomiting and diarrheal events	⊠	i	i	i	..	..
Good Hygienic Practices	IN	OUT	N/O	N/A	COS	REPEAT
6. Proper eating, tasting, drinking, or tobacco use	i	i	⊠	i	..	..
7. No discharge from eyes, nose, and mouth	⊠	i	i	i	..	..
Preventing Contamination by Hands	IN	OUT	N/O	N/A	COS	REPEAT
8. Hands clean & properly washed	i	i	⊠	i	..	..
9. No bare hand contact with RTE food	⊠	i	i	i	..	..
10. Adequate handwashing sinks properly supplied and accessible	i	⊠	i	i	..	..
Approved Sources	IN	OUT	N/O	N/A	COS	REPEAT
11. Food obtained from approved source	⊠	i	i	i	..	..
12. Food received at proper temperature	i	i	⊠	i	..	..
13. Food in good condition, honestly presented, safe, & unadulterated	⊠	i	i	i	..	..
14. Required records available: shellstock tags, parasite destruction	i	i	i	⊠	..	..
Protection from Contamination	IN	OUT	N/O	N/A	COS	REPEAT
15. Food separated and protected	⊠	i	i	i	..	..
16. Food-contact surfaces: cleaned & sanitized	i	⊠	i	i	..	Ⓟ
17. Proper disposition of returned, previously served reconditions, & unsafe food	⊠	i	i	i	..	..
Time/Temperature Control for Safety	IN	OUT	N/O	N/A	COS	REPEAT
18. Proper cooking time & temperatures	i	i	i	⊠	..	..
19. Proper reheating procedures for hot holding	i	i	⊠	i	..	..
20. Proper cooling time and temperature	i	i	⊠	i	..	..
21. Proper hot holding temperatures	⊠	i	i	i	..	..
<i><b>This item has Notes. See Footnote 1 at end of questionnaire.</b></i>						
22. Proper cold holding temperatures	⊠	i	i	i	..	..
<i><b>This item has Notes. See Footnote 2 at end of questionnaire.</b></i>						
23. Proper date marking and disposition	⊠	i	i	i	..	..
24. Time as a Public Health Control	i	i	i	⊠	..	..
Consumer Advisory	IN	OUT	N/O	N/A	COS	REPEAT
25. Consumer advisory provided for raw / undercooked foods	i	i	i	⊠	..	..
Highly Susceptible Populations (HSP)	IN	OUT	N/O	N/A	COS	REPEAT
26. Pasteurized foods used; prohibited foods not offered	⊠	i	i	i	..	..



Inspector

Acknowledged Receipt : Javien DeJesus

Page 2 of 6

## Food Establishment Inspection Report

Food/Color Additives and Toxic Substances	IN	OUT	N/O	N/A	COS	REPEAT
---	----	-----	-----	-----	-----	--------

27. Food additives: approved and properly used	i	i	i	x	..	..
--	---	---	---	---	----	----

28. Toxic substances identified, stored, and used	x	i	i	i	..	..
---	---	---	---	---	----	----

Conformance with Approved Procedures	IN	OUT	N/O	N/A	COS	REPEAT
--------------------------------------	----	-----	-----	-----	-----	--------

29. Compliance with variance / specialized process / HACCP Plan	i	i	i	x	..	..
---	---	---	---	---	----	----

GOOD RETAIL PRACTICES
-----------------------

Good Retail Practices are preventative measures to control the addition of pathogens, chemicals, and physical objects into foods.

IN = In compliance    OUT = not in compliance    COS - corrected on -site during inspection    REPEAT = repeat violation

Safe Food and Water	IN	OUT	N/O	N/A	COS	REPEAT
---------------------	----	-----	-----	-----	-----	--------

30. Pasteurized eggs used where required	x	i	i	i	..	..
--	---	---	---	---	----	----

31. Water & ice from approved source	i	i	i	i	..	..
--------------------------------------	---	---	---	---	----	----

32. Variance obtained for specialized processing methods	i	i	i	x	..	..
--	---	---	---	---	----	----

Food Temperature Control	IN	OUT	N/O	N/A	COS	REPEAT
--------------------------	----	-----	-----	-----	-----	--------

33. Proper cooling methods used; adequate equipment for temperature control	i	i	x	i	..	..
---	---	---	---	---	----	----

34. Plant food properly cooked for hot holding	i	i	i	x	..	..
--	---	---	---	---	----	----

35. Approved thawing methods used	i	i	x	i	..	..
-----------------------------------	---	---	---	---	----	----

36. Thermometers provided and accurate	i	i	i	i	..	..
--	---	---	---	---	----	----

Food Identification	IN	OUT	N/O	N/A	COS	REPEAT
---------------------	----	-----	-----	-----	-----	--------

37. Food properly labeled; original container	i	i	i	i	..	..
---	---	---	---	---	----	----

Prevention of Food Contamination	IN	OUT	N/O	N/A	COS	REPEAT
----------------------------------	----	-----	-----	-----	-----	--------

38. Insects, rodents, & animals not present	i	i	i	i	..	..
---	---	---	---	---	----	----

39. Contamination prevented during food preparation, storage and display	i	i	i	i	..	..
--	---	---	---	---	----	----

40. Personal cleanliness	i	i	i	i	..	..
--------------------------	---	---	---	---	----	----

41. Wiping cloths; properly used and stored	i	i	i	i	..	..
---	---	---	---	---	----	----

42. Washing fruits & vegetables	i	i	i	i	..	..
---------------------------------	---	---	---	---	----	----

Proper Use of Utensils	IN	OUT	N/O	N/A	COS	REPEAT
------------------------	----	-----	-----	-----	-----	--------

43. In-use utensils properly stored	i	i	i	i	..	..
-------------------------------------	---	---	---	---	----	----

44. Utensils, equipment & linens: properly stored, dried, & handled	i	i	i	i	..	..
---	---	---	---	---	----	----

45. Single-use/ single service articles: properly stored and used	i	i	i	i	..	..
---	---	---	---	---	----	----

46. Gloves used properly	i	i	i	i	..	..
--------------------------	---	---	---	---	----	----

Utensils, Equipment and Vending	IN	OUT	N/O	N/A	OS	REPEAT
---------------------------------	----	-----	-----	-----	----	--------

47. Food & non-food contact surfaces cleanable, properly designed, constructed & used	i	x	i	i	..	..
---	---	---	---	---	----	----

48. Warewashing facilities: installed, maintained, & used; test strips	i	i	i	i	..	..
--	---	---	---	---	----	----



Inspector

Acknowledged Receipt : Javien DeJesus

## Food Establishment Inspection Report

Utensils, Equipment and Vending	IN	OUT	N/O	N/A	OS	REPEAT
---------------------------------	----	-----	-----	-----	----	--------

49. Non-food contact surfaces clean	i	x	i	i	..	..
-------------------------------------	---	---	---	---	----	----

Physical Facilities	IN	OUT	N/O	N/A	COS	REPEAT
---------------------	----	-----	-----	-----	-----	--------

50. Hot & cold water available; adequate pressure	i	i	i	i	..	..
---	---	---	---	---	----	----

51. Plumbing installed; proper backflow devices	i	x	i	i	..	..
---	---	---	---	---	----	----

52. Sewage and waste water properly disposed	i	i	i	i	..	..
--	---	---	---	---	----	----

53. Toilet features: properly constructed, supplied, & cleaned	i	i	i	i	..	..
--	---	---	---	---	----	----

54. Garbage & refuse properly disposed; facilities maintained	i	i	i	i	..	..
---	---	---	---	---	----	----

55. Physical facilities installed, maintained, & clean	i	x	i	i	..	..
--	---	---	---	---	----	----

56. Adequate ventilation & lighting; designated areas used	i	i	i	i	..	..
--	---	---	---	---	----	----

MASSACHUSETTS ONLY REGULATIONS
--------------------------------

Rules and Regulations adopted for use in Massachusetts only.

Additional Requirements listed in 105 CMR 590.011	IN	OUT	N/O	N/A	COS	REPEAT
---	----	-----	-----	-----	-----	--------

M1. Anti-choking procedures in food service establishment	i	x	i	i	..	..
---	---	---	---	---	----	----

M2. Food allergy awareness	i	x	i	i	..	p
----------------------------	---	---	---	---	----	---

Review of Retail Operations listed in 105 CMR 590.010	IN	OUT	N/O	N/A	COS	REPEAT
---	----	-----	-----	-----	-----	--------

M3. Caterer	i	i	i	i	..	..
-------------	---	---	---	---	----	----

M4. Mobile Food Operation	i	i	i	i	..	..
---------------------------	---	---	---	---	----	----

M5. Temporary Food Establishment	i	i	i	i	..	..
----------------------------------	---	---	---	---	----	----

M6. Public Market; Farmers Market	i	i	i	i	..	..
-----------------------------------	---	---	---	---	----	----

M7. Residential Kitchen; Bed-and-Breakfast Operation	i	i	i	i	..	..
--	---	---	---	---	----	----

M8. Residential Kitchen: Cottage Food Operation	i	i	i	i	..	..
---	---	---	---	---	----	----

M9. School Kitchen; USDA Nutrition Program	i	i	i	i	..	..
--	---	---	---	---	----	----

M10. Leased Commercial Kitchen	i	i	i	i	..	..
--------------------------------	---	---	---	---	----	----

M11. Innovative Operation	i	i	i	i	..	..
---------------------------	---	---	---	---	----	----

Local Requirements	IN	OUT	N/O	N/A	COS	REPEAT
--------------------	----	-----	-----	-----	-----	--------

L1. Local law or regulation	i	i	i	i	..	..
-----------------------------	---	---	---	---	----	----

L2. Other	i	i	i	i	..	..
-----------	---	---	---	---	----	----

Discussion with Person-in-Charge
----------------------------------



Inspector

Acknowledged Receipt : Javien DeJesus

**Food Establishment Inspection Report**  
**Fail Notes Summary**

<b>Code</b>	<b>Text</b>
<b>3. Management, food employee and conditional employee; knowledge, responsibilities and reporting</b>	
2-201.11(B),(E)	Priority Foundation; No employee health reporting documentation.
<b>10. Adequate handwashing sinks properly supplied and accessible</b>	
6-301.14	Core; Missing hand washing sign at both hand washing sinks.
<b>16. Food-contact surfaces: cleaned &amp; sanitized</b>	
4-501.112	Priority Foundation; Santizing solution was 150ppm, should be 200ppm. Too weak.
<b>21. Proper hot holding temperatures</b>	
	This item has Notes. See Footnote 1 at end of questionnaire.
<b>22. Proper cold holding temperatures</b>	
	This item has Notes. See Footnote 2 at end of questionnaire.
<b>47. Food &amp; non-food contact surfaces cleanable, properly designed, constructed &amp; used</b>	
4-501.11	Core; Hood cleaning past due.
<b>49. Non-food contact surfaces clean</b>	
4-602.13	Core; Sticky buildup on soda machine behind nozzles.
<b>51. Plumbing installed; proper backflow devices</b>	
5-205.15(B)	Core; Puddle of water on floor under CO2 tank. Active plumbing leak found under hand washing sink near bay sink.
<b>55. Physical facilities installed, maintained, &amp; clean</b>	
6-501.12	Core; Missing tile above CO2 tank.
<b>M1. Anti-choking procedures in food service establishment</b>	
[590.011(A)]	MA; No choke saver certification.
<b>M2. Food allergy awareness</b>	
[590.011(C)]	MA; No allergy awareness sign near drive-thru.



Inspector

Acknowledged Receipt : Javien DeJesus

Page 5 of 6

## Food Establishment Inspection Report

### **Footnote 1**

**Notes:**

customer bathroom hand washing sink: 98F.  
hot holding - ground beef: 151.7F.

### **Footnote 2**

**Notes:**

delfield freezer near fryolator: -3F.  
walk-in cooler - cheese: 35F.  
cold holding prep top - diced tomatoes: 36F.  
cold holding prep under - ground beef: 151.7F.



Inspector

Acknowledged Receipt : Javien DeJesus

Page 6 of 6